WHAT IS CLAIMED IS:

1. A cartridge comprising:

a case accommodating a recording medium therein; and

a label area surrounded by a rectangle-like standing wall at an outer face of the case,

wherein a portion in a longitudinal direction of one side portion of the standing wall is excised to provide a cut-away portion, which communicates with the label area, at the case.

- 2. The cartridge of claim 1, wherein the label area is formed at a rear wall of the case, at a rear side in a direction of loading the case into a drive device, and the cut-away portion is provided at a substantially central portion in the longitudinal direction of an upper side portion of the standing wall.
- 3. The cartridge of claim 2, wherein the cut-away portion is provided to communicate with an upper face of the case.
- 4. The cartridge of claim 1, wherein the label area is formed at a rear wall of the case, at a rear side in a direction of loading the case to a drive device, and the cut-away portion is provided at a substantially central portion in the longitudinal direction of a lower side portion of the standing wall.
- 5. The cartridge of claim 1, wherein the outer face of the case is recessed to form the standing wall.

- 6. The cartridge of claim 1, wherein the standing wall is formed to be protruded from the outer face of the case.
- 7. The cartridge of claim 1, wherein the recording medium comprises recording tape wound on at least one reel and the cartridge includes a recording tape cartridge.
- 8. The cartridge of claim 1, wherein the recording medium comprises a disc medium and the cartridge includes a disc cartridge.
- 9. The cartridge of claim 1, wherein the case includes an upper case and a lower case, and the label area is formed to extend over the upper case and the lower case.
- 10. The cartridge of claim 9, wherein a surface area of the label area at the upper case is formed to be greater than a surface area of the label area at the lower case.

11. A cartridge comprising:

a case including an upper case and a lower case and accommodating a recording medium therein; and

a label area surrounded by a rectangle-like standing wall at an outer face of the case,

wherein a portion in a longitudinal direction of one side portion of the

standing wall is excised to provide a cut-away portion, which communicates with the label area, at the case.

- 12. The cartridge of claim 11, wherein the label area is formed to extend over the upper case and the lower case.
- 13. The cartridge of claim 12, wherein a surface area of the label area at the upper case is formed to be greater than a surface area of the label area at the lower case.
- 14. The cartridge of claim 11, wherein the label area is formed at a rear wall of the case, at a rear side in a direction of loading the case to a drive device, and the cut-away portion is provided at a substantially central portion in the longitudinal direction of a lower side portion of the standing wall.
- 15. The cartridge of claim 11, wherein the outer face of the case is recessed to form the standing wall.
- 16. The cartridge of claim 11, wherein the standing wall is formed to be protruded from the outer face of the case.